APPLICANT FACSIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

BCI-024CP APPLICANT

ATTY DOCKET NO

09/885297

SERIAL NO.

A. A.	LIS		PUBLICATIONS CITUS			Ingram, Loni Filing Date June 19, 200		1652 C	14 1/2
				U.SP	ATENT DOC	UMENTS			CENTA 3 2000
EX	AMINER SITIAL		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING OFTE IF APPROSPRAFE
M	M	- A1	3,990,944	11/76	Gauss et a	ıl.	195	33	1/2
广		A2	5,000,000	03/91	Ingram et	al.	435	161	
		A3	5,028,539	07/91	Ingram et	al.	435	161	
		A4	5,162,516	11/92	Ingram et	al.	536	27	
		A5	5,424,202	06/95	Ingram et	al.	435	161	
		A6	5,482,846	01/96	Ingram et	al.	435	161	
		A7	5,487,989	01/96	Fowler et a	al.	435	165	
0	<b>V</b>	A8	5,554,520	09/96	Fowler et a	al.	435	165	·
m	X	A9	5,821,093	10/98	Ingram et	al.	435	161	

## FOREIGN PATENT DOCUMENTS

<u> </u>		DOCUMENT NUMBER	DATE	Country	CLASS	SUBCLASS	Transu	ATION
							YES	NO
ma	A10	WO 98/45425 A1	10/98	WO		<u>-</u>		
and	A11	WO 00/71729 A2,A3	11/00	WO		:		· · · · · · · · · · · · · · · · · · ·

OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)

	OTTICIO (including Author, Title, Date, Fertilletit Fages, Ltc.)				
mal A12	Asghari et al. (1996) Ethanol production from hemicellulose hydrolysates of agricultural residues using genetically engineered Escherichia coli strain KO11. J. Ind. Microbiol. 16:42-47				
A13	Barbosa et al. (1992) Expression of the Zymomonas mobilis alcohol dehydrogenase II (adhB) and pyruvate decarboxylase (pdc) genes in Bacillus. Current Microbiol. 28:279-282				
A14	Barras et al. (1994) Extracellular enzymes and pathogenesis of soft-rot Erwinia. Annu. Rev. Phytopathol. 32:201-234				
A15	Beall et al. (1991) Parametric studies of ethanol production from xylose and other sugars by recombinant Escherichia coli. Biotechnol. Bioeng. 38:296-303				
A16	Beall et al. (1992) Conversion of hydrolysates of corn cobs and hulls into ethanol by recombinant Escherichia coli B containing integrated genes for ethanol production. Biotechnol. Lett. 14:857-862				
A17	Beall, et al. (1993) Genetic engineering of soft-rot bacteria for ethanol production from lignocellulose. J. Indust. Microbiol. 11:151-155				
A18	Boyer, MH. et al. (1987) Isolation of the gene encoding the major endoglucanase of erwinia chrysanthemi homology between cel genes of two strains of erwinia-chrysanthemi. FEMS Microbiol. Lett. 41(3):351-6				
m A19	Boyer, MH. et al. (1987) Characterization of a new endoglucanase from Erwinia chrysanthemi. Eur. J. Biochem. 162(2):311-6				
Examiner	Date Considered 5/24/05				
*EXAMINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

JUH 3 0 2003

APPLICANT FACSIMILE OF FORM PTO-1449

LIST OF PUBLICATIONS CITED BY APPLICANT

(Use several sheets if necessary)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO BCI-024CP SERIAL NO.

09/885297

APPLICANT

Ingram, Lonnie O. et al.

June 19, 2001

1652

cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 depende plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.									
B2   Burchhardt et al. (1992) Conversion of xylan to ethanol by ethanologenic strains of Escheric coli and Klebsiella oxytoca. Appl. Environ. Microbiol. 58:1128-1133									
coli and Klebsiella oxytoca. Appl. Environ. Microbiol. 58:1128-1133  Cho, K.M. et al. (1999) Novel SSF process for ethanol production from microcrystalline cell using the 5-integrated recombinant yeast, Saccharomyces cerevisiae L26125GC. J. Microb. Biotechnol. 9:340-345  Conway, T. et al. (1987) Cloning and sequencing of the alcohol dehydrogenase II gene from Zymomonas mobilis. J. Bacteriol. 169(6):2591-7  Conway et al. (1987) Gene expression in Zymomonas mobilis: promoter structure and identification of membrane anchor sequences forming functional lacZ' fusion proteins. J. Bacteriol. 169:2327-2335  Doran et al. (1993) Fermentation of crystalline cellulose to ethanol by Klebsiella oxytoca containing chromosomally integrated Zymomonas mobilis genes. Biotechnol. Progress. 9:5  Doran et al. (1994) Saccharification and fermentation of sugar cane bagasse by Klebsiella oxytoca P2 containing chromosomally integrated genes encoding the Zymomonas mobilis opathway. Biotechnol. Bioeng. 44:240-247  B8 Fierobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Clos cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 depende plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420									
<ul> <li>using the δ-integrated recombinant yeast, Saccharomyces cerevisiae L2612δGC. J. Microb Biotechnol. 9:340-345</li> <li>Conway, T. et al. (1987) Cloning and sequencing of the alcohol dehydrogenase II gene from Zymomonas mobilis. J. Bacteriol. 169(6):2591-7</li> <li>Conway et al. (1987) Gene expression in Zymomonas mobilis: promoter structure and identification of membrane anchor sequences forming functional lacZ' fusion proteins. J. Bacteriol. 169:2327-2335</li> <li>Doran et al. (1993) Fermentation of crystalline cellulose to ethanol by Klebsiella oxytoca containing chromosomally integrated Zymomonas mobilis genes. Biotechnol. Progress. 9:5</li> <li>Doran et al. (1994) Saccharification and fermentation of sugar cane bagasse by Klebsiella oxytoca P2 containing chromosomally integrated genes encoding the Zymomonas mobilis opathway. Biotechnol. Bioeng. 44:240-247</li> <li>Fierobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Clost cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65</li> <li>Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 dependent plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652</li> <li>Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286</li> <li>Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420</li> <li>Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.</li> </ul>	hia 								
Zymomonas mobilis. <i>J. Bacteriol.</i> 169(6):2591-7  Conway et al. (1987) Gene expression in Zymomonas mobilis: promoter structure and identification of membrane anchor sequences forming functional lacZ' fusion proteins. <i>J. Bacteriol.</i> 169:2327-2335  Doran et al. (1993) Fermentation of crystalline cellulose to ethanol by <i>Klebsiella oxytoca</i> containing chromosomally integrated <i>Zymomonas mobilis</i> genes. <i>Biotechnol. Progress.</i> 9:5  Doran et al. (1994) Saccharification and fermentation of sugar cane bagasse by <i>Klebsiella oxytoca</i> P2 containing chromosomally integrated genes encoding the <i>Zymomonas mobilis</i> epathway. <i>Biotechnol. Bioeng.</i> 44:240-247  B8 Fierobe, HP. et al. (1993) Punfication and characterization of endoglucanase C from Closic cellulolyticum. Catalytic comparison with endoglucanase A. <i>Eur. J. Biochem.</i> 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 dependent plasmid function provided in trans. <i>Proc. Natl. Acad. Sci. USA.</i> 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of <i>Escherichia coli. Biotechnol. Lett.</i> 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant <i>Escherichia coli. Biotechnol. Lett.</i> 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic <i>Escherichia coli.</i>									
identification of membrane anchor sequences forming functional lacZ' fusion proteins. <i>J. Bacteriol.</i> 169:2327-2335  Boran et al. (1993) Fermentation of crystalline cellulose to ethanol by <i>Klebsiella oxytoca</i> containing chromosomally integrated <i>Zymomonas mobilis</i> genes. <i>Biotechnol. Progress.</i> 9:5  Boran et al. (1994) Saccharification and fermentation of sugar cane bagasse by <i>Klebsiella oxytoca</i> P2 containing chromosomally integrated genes encoding the <i>Zymomonas mobilis</i> expathway. <i>Biotechnol. Bioeng.</i> 44:240-247  Berobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Closs cellulolyticum. Catalytic comparison with endoglucanase A. <i>Eur. J. Biochem.</i> 217(2):557-65  Berobe, HP. et al. (1993) Perification of an origin-containing derivative of plasmid RK2 dependent plasmid function provided in trans. <i>Proc. Natl. Acad. Sci. USA.</i> 76: 1648-1652  Berobe, HP. et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of <i>Escherichia coli. Biotechnol. Lett.</i> 16:281-286  Berobe, Guimaraes et al. (1992) Ethanol production from starch by recombinant <i>Escherichia coli. Biotechnol. Lett.</i> 14:415-420  Berobe, Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic <i>Escherichia coli.</i>	1								
containing chromosomally integrated Zymomonas mobilis genes. Biotechnol. Progress. 9:5  B7 Doran et al. (1994) Saccharification and fermentation of sugar cane bagasse by Klebsiella oxytoca P2 containing chromosomally integrated genes encoding the Zymomonas mobilis of pathway. Biotechnol. Bioeng. 44:240-247  B8 Fierobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Closs cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 depended plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.									
by a containing chromosomally integrated genes encoding the <i>Zymomonas mobilis</i> of pathway. <i>Biotechnol. Bioeng.</i> 44:240-247  B8 Fierobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Closic cellulolyticum. Catalytic comparison with endoglucanase A. <i>Eur. J. Biochem.</i> 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 depended plasmid function provided in trans. <i>Proc. Natl. Acad. Sci. USA.</i> 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of <i>Escherichia coli. Biotechnol. Lett.</i> 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant <i>Escherichia coli. Biotechnol. Lett.</i> 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic <i>Escherichia coli.</i>	33-538								
cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65  B9 Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 depende plasmid function provided in trans. Proc. Natl. Acad. Sci. USA. 76: 1648-1652  B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.	thano								
B10 Grohmann et al. (1994) Fermentation of galacturonic acid and other sugars in orange peel hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  B11 Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification. Biotechnol. Lett. 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.	Fierobe, HP. et al. (1993) Purification and characterization of endoglucanase C from Clostridium cellulolyticum. Catalytic comparison with endoglucanase A. Eur. J. Biochem. 217(2):557-65								
hydrolysates by the ethanologenic strain of Escherichia coli. Biotechnol. Lett. 16:281-286  Guimaraes et al. (1992) Ethanol production from starch by recombinant Escherichia coli containing integrated genes for ethanol production and plasmid genes for saccharification.  Biotechnol. Lett. 14:415-420  Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.	Figurski et al. (1979) Replication of an origin-containing derivative of plasmid RK2 dependent on a plasmid function provided in trans. <i>Proc. Natl. Acad. Sci. USA</i> . 76: 1648-1652								
containing integrated genes for ethanol production and plasmid genes for saccharification.  Biotechnol. Lett. 14:415-420  B12 Guimaraes et al. (1992) Fermentation of sweet whey by ethanologenic Escherichia coli.	Ţ								
	containing integrated genes for ethanol production and plasmid genes for saccharification.  Biotechnol. Lett. 14:415-420								
Biotechnol. Bioeng. 40:41-45									
Guiseppi, A. et al. (1991) Sequence analysis of the cellulase-encoding celY gene of Erwinia chrysanthemi: a possible case of interspecies gene transfer. <i>Gene</i> . 106(1):109-14									
B14 Hahn-Hägerdal et al. (1994) An interlaboratory comparison of the performance of ethanol-producing micro-organisms in a xylose-rich acid hydrolysate. Appl. Microbiol. Biotechnol. 41	:62-7								
He et al. (1991) Cloned Erwinia chrysanthemi out genes enable Escherichia coli to selective secrete a diverse family of heterologous proteins to its milieu. Proc. Natl. Acad. Sci. U.S.A. 88(3):1079-83									
Hueck et al. (1998) Type III protein secretion systems in bacterial pathogens of animals and plants. Microbiol. Mol. Biol. Rev. 62(2):379-433									
Examiner Date Considered 5725/05	_								
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line throug citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	)								

Sheet 3 of 5 SERIAL NO.

ANT FACSIMILE OF FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

09/885297 BCI-024CP

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Ingram, Lonnie O. et al.

ATTY DOCKET NO

June 19, 2001

APPLICANT

GROUP

1652

HCONTER TOOS OTHERS (including Author, Title, Date, Pertinent Pages, Etc.) Ingram et al. (1987) Genetic engineering of ethanol production in Escherichia coli. Appl. E Microbiol. 53(10):2420-5 Ingram et al. (1988) Expression of different levels of ethanologenic enzymes from zymomonas C2 mobilis in recombinant strains of Escherichia coli. Appl. Environ. Microbiol. 54:397-404 Ingram, et al. (1999) Enteric bacterial catalysts for fuel ethanol production. Biotechnol. Prog. C3 15:855-866 Kuhnert, P. et al. (1997) Detection system for Escherichia coli-specific virulence genes: absence C4 of virulence determinants in B and C strains. Appl. Environ. Microbiol. 63(2):703-9 Lai et al. (1996)Cloning of cellobiose phosphoenolpyruvate-dependent phosphotransferase **C5** genes: Functional expression in recombinant Escherichia coli and identification of a putative binding region for disaccharides. Appl. Environ. Microbiol. 63:355-363 Lindeberg et al. (1992) Analysis of eight out genes in a cluster required for pectic enzyme **C6** secretion by Erwinia chrysanthemi: sequence comparison with secretion genes from other gramnegative bacteria. J. Bacteriol. 174(22):7385-97 Lindeberg et al. (1996) Complementation of deletion mutations in a cloned functional cluster of **C7** Erwinia chrysanthemi out genes with Erwinia carotovora out homologues reveals OutC and OutD as candidate gatekeepers of species-specific secretion of proteins via the type II pathway. Mol. Microbiol. 20(1):175-90 Lynd et al. (1991) Fuel ethanol from cellulosic biomass. Science 251:1318-1323 **C8** Martinez-Morales, F. et al. (1999) Chromosomal integration of heterologous DNA in Escherichia C9 coli with precise removal of markers and replicons used during construction. J. Bacteriol. 181(22):7143-8 Moniruzzaman et al. (1996) Ethanol production from afex pretreated corn fiber by recombinant C10 bacteria. Biotechnol. Lett. 18:985-990 Moniruzzaman, M. et al. (1997) Extracellular melibiose and fructose are intermediates in raffinose C11 catabolism during fermentation to ethanol by engineered enteric bacteria. J. Bacteriol. 179(6):1880-6 Moniruzzaman et al. (1998) Ethanol production from dilute acid hydrolysate of rice hulls using C12 genetically engineered Escherichia coli. Biotechnol. Lett. 20:943-947 Murata et al. (1990) Characterization of transposon insertion out- mutants of Erwinia carotovora C13 subsp. carotovora defective in enzyme export and of a DNA segment that complements out mutations in E. carotovora subsp. carotovora, E. carotovora subsp. atroseptica, and Erwinia chrysanthemi. J. Bacteriol. 172:2970-2978 Ohta, K. et al. (1991) Genetic improvement of Escherichia coli for ethanol production: C14 chromosomal integration of Zymomonas mobilis genes encoding pyruvate decarboxylase and alcohol dehydrogenase II. Appl. Environ. Microbiol. 57(4):893-900 Okamoto et al. (1994) Cloning of the Acetobacter xylinum cellulase gene and its expression in C15 Escherichia coli and Zymomonas mobilis. Appl. Microbiol. Biotechnol. 42(4):563-8 Osman, et al. (1985) Mechanism of ethanol inhibition of fermentation in Zymomonas mobilis CP4. C16 J. Bact. 164:173-180 Date Considered Examiner Wille Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through \*EXAMINER: citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

			_	_	
PPLICANT	FACSIMILE	OF	FORM	PTO	1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTY DOCKET NO BCI-024CP APPLICANT

SERIAL NO. 09/885297

Sheet 4 of 5

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

Ingram, L nnie O. et al.

June 19, 2001

GROUP 1652

		OTHERS (including Author, Title, Date, Pertinent Pages, Etc.)							
mal	D1	Nidetzky, et al. (1995) Synergistic interaction of cellulases from Trichoderma reesei during cellulose degradation p.90-112							
	D2	Pósfai, G. et al. (1997) Versatile insertion plasmids for targeted genome manipulations in bacteria: isolation, deletion, and rescue of the pathogenicity island LEE of the Escherichia coli O157:H7 genome. J. Bacteriol. 179(13):4426-8							
	D3	Poulsen, O.M. et al. (1992) Degradation of microcrystalline cellulose synergism between different endoglucanases of cellulomonas-sp atcc 21399. Biotech. Bioeng. 39(1):121-23							
	D4	Pugsley et al. (1993) The complete general secretory pathway in gram-negative bacteria.  Microbiol. Rev. 57(1):50-108							
	D5	Pugsley et al. (1997) Recent progress and future directions in studies of the main terminal branch of the general secretory pathway in Gram-negative bacteria—a review. Gene 192: 13-19							
	D6	Riedel, K. et al. (1997) Synergistic interaction of the Clostridium stercorarium cellulases avicelase I (CelZ) and avicelase II (CelY) in the degradation of microcrystalline cellulose. FEMS Microbiol. Lett. 147:239-243							
	D7	Saito et al. (1990) Expression of a thermostable cellulase gene from a thermophilic anaerobe in Saccharomyces cerevisiae. J. Ferment. Bioeng. 69:282-286							
	D8	Sheehan, J., (1994) Bioconversion for production of renewable transportation fuels in the United States. Amer. Chem. Soc. pp 1-52							
	D9 _	-Su et al. (1993) Simultaneous expression of genes encoding endoglucanase and β-glucosidase in Zymomonas mobilis. Biotechnol. Lett. 15:979-984							
	D10	Tomme, et al. (1995) Cellulose hydrolysis by bacteria and fungi. Adv. Microb. Physiol. 37:1-81							
	D11	Wood et al. (1988) Methods for measuring cellulase activities. Methods in Enzymology 160:87-112							
	D12	Wood, et al. (1992) Ethanol production from cellobiose, amorphous cellulose, and crystalline cellulose by recombinant Klebsiella oxytoca containing chromosomally integrated Zymomonas mobilis genes for ethanol production and plasmids expressing thermostable cellulase genes from Clostridium thermocellum. Appl. Environ. Microbiol. 58(7):2103-10							
	D13	Wood et al. (1997) Production of recombinant bacterial endoglucanase as a co-product with ethanol during fermentation using derivatives of Escherichia coli KO11. Biotech. Bioeng. 55:547-555							
	D14	Woodward, J. (1991) Synergism in cellulase systems. Bioresource Technol. 36:67-75							
	D15	Wyman, C.E. et al. (1995) Economic fundamentals of ethanol production from lignocellulosic biomass. Amer. Chem. Soc. Symp. 618:272-290							
1	D16	Yomano et al. (1998) Isolation and characterization of ethanol-tolerant mutants of Escherichia co KO11 for fuel ethanol production. J. Ind. Microbiol. Biotechnol. 20(2):132-8							
rend	D17	Zhou, S. et al. (1999) Enhancement of expression and apparent secretion of Erwinia chrysanthemi endoglucanase (encoded by celZ) in Escherichia coli B. B. Appl. Environ. Microbio 65:2439-2445							
Exam	iner	Date Considered 52405							
*EXA	MINER:	Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.							

/	Э,	-	- 49	
BET	INH	3	0 2003	Tank.

APPLICANT FACSIMILE OF FORM PTO-1448

U.S. DEPART
COMMERCE
PATENT AND

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

BCI-024CP

ATTY DOCKET NO

SERIAL NO.

Sheet 5 of 5

LIST OF PUBLICATIONS CITED BY APPLICANT (Use several sheets if necessary)

applicant.

Ingram, L nnie O. tal.

GROUP

1652

			June 19, 2001	1652
		OTHERS (including Author	, Title, Date, Pertinent Pages, Etc.)	1600
nd)	E1	Zhou, S. et al. (1999) Engineering	g endoglucanase-secreting strains of eth	anologenic Klebsielle
1/2/		oxytoca P2. J. Indust. Microbiol. E	Biotechnol. 22:600-607	90
	E2	Zhou, S. et al. (2000) Synergistic	hydrolysis of carboxymethyl cellulose and CelY) from Erwinia chrysanthemi. J. Ba	id acid-swollen cellulose actariol 182:5676-5682
₹,	E3		ration and expression and extracellular s	
rend		chrysanthemi endoglucanase Cel Appl. Environ. Microbiol. 67: 6-14	IY (celY) and CelZ (celZ) in ethanologen	ic <i>Klebsiella oxytoca</i> P2.
	$\rightarrow$			
		·		
		· <u>- · · · · · · · · · · · · · · · · · ·</u>	····	
_				
_				
$\dashv$				<u></u>
			·	
Examir	ner	mmy	Date Considered	15